

#8 WALKER

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

2360

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse SideState of Texas
WELL REPORTTexas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Westly Ashworth ADDRESS Rt. 1 Box 659 Huntsville, Texas 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 8 miles in NW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP

0160-13-6

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling: 05/15/90
Started 19
Completed 05/17/90 19

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	75

7) BOREHOLE COMPLETION:

☒ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give Interval ... from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0-3 Top Soil
3-19 Brown Clay
19-39 Blue Clay
39-43 Brown Clay
43-68 Blue Clay
68-75 Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	-1.5		40
2	N	PVC UC			

RECEIVED
MAY 22 1990

(Use reverse side if necessary)

TEXAS WATER COMMISSION

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 55 ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Baller ☐ Jetted ☒ Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 7 ft
Was a chemical analysis made? ☐ Yes ☐ No

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 65 ft. to 0 ft. No. of Sacks Used 7
_____ ft. to _____ ft. No. of Sacks Used _____

Method used Pressure
Cemented by Henery Lee

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 18 ft. below land surface Date 05/17/90
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells
(Type or print)

WELL DRILLER'S LICENSE NO. _____

ADDRESS 607 Hwy 19 Huntsville Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) _____
(Licensed Well Driller)

(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-11-7 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse SideState of Texas
WELL REPORTTexas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Dave Falknor ADDRESS 2712 Pineshadows Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker, 5 miles in NW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP

0760-13-6

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-watering

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling:

Started 4-25 19 90Completed 4-26 19 90

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6.5</u>	<u>Surface</u>	<u>212</u>

7) BOREHOLE COMPLETION:

☒ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0-3 top soil
3-28 sand
28-110 brown clay w/sand streaks
110-124 rock streaks
124-188 blue clay
188-191 rock
191-212 sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>-1.5</u>	<u>191</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC UC</u>	<u>184</u>	<u>194</u>	<u>#10</u>

RECEIVED
MAY 22 1990

(Use reverse side if necessary)

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder

☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 120 ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 21 ft
Was a chemical analysis made? ☐ Yes ☒ No

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 191 ft. to 91 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2

Method used Henry LeeCemented by Pressure

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 12 ft. below land surface Date 4-27-90
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type Depth
Rubber 175

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells
(Type or print)WELL DRILLER'S LICENSE NO. 2026, 2221ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)(Signed) [Signature]
(Licensed Well Driller)(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-11-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

#2 WALKER

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Julia Woods Address PO Box 1894 Huntsville, Texas 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 8 miles in NW direction from Huntsville
(N.E., S.W., etc.) (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map. 0 N 60-20-1

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging
4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____
5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling:
Started 11-9 1988
Completed 11-10 1988
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6.5 Surface 102
7) BOREHOLE COMPLETION:
☒ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
0-4		top soil						
4-15		brown clay						
15-20		blue clay	N	4	PVC	-1.5	90	40
20-22		lignite						
22-65		blue clay	2	N	PVC UC	102	92	#8
65-102		sand						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 90 ft. to 0 ft. No. of Sacks Used 8
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☒ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Rubber 87

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 80 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER" 37 ft
Type of water? Good Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 22x 2026
(Type or Print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TWC use only
Well No. 60-11-7
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

TEXAS WATER
DEPARTMENTAL BOARD

AUG 31 1970

RECEIVED

OCT 30 1970
Central Record's
Texas Water Department